

Outside Micrometers

- Deluxe heat insulated forged steel frame up to 6".
- Tubular steel frame (6" and up).
- Complete with standards (2" and up).
- Carbide tipped anvils.
- Ratchet stop and lock nut for exact and repetitive reading.



Range	Grad.	Painted Order No.	Chrome- Plated Order No.
0-1"	.001"	600-0001	601-0001
1-2"	.001"	600-0002	601-0002
2-3"	.001"	600-0003	601-0003
3-4"	.001"	600-0004	601-0004
4-5"	.001"	600-0015	601-0005
5-6"	.001"	600-0016	601-0006
6-7"	.001"	600-0017	601-0007
7-8"	.001"	600-0018	601-0008
8-9"	.001"	600-0009	
9-10"	.001"	600-0010	
10-11"	.001"	600-0011	
11-12"	.001"	600-0012	

Range	Grad.	Painted Order No.	Chrome- Plated Order No.
0-1"	.0001"	600-0111	601-0111
1-2"	.0001"	600-0112	601-0112
2-3"	.0001"	600-0113	601-0113
3-4"	.0001"	600-0114	601-0114
4-5"	.0001"	600-0125	601-0115
5-6"	.0001"	600-0126	601-0116
6-7"	.0001"	600-0127	601-0117
7-8"	.0001"	600-0128	601-0118
8-9"	.0001"	600-0119	
9-10"	.0001"	600-0210	
10-11"	.0001"	600-0211	
11-12"	.0001"	600-0212	

Range	Grad.	Painted Order No.	Chrome- Plated Order No.
0-25mm	.001mm	600-5025	601-5025
25-50mm	.001mm	600-5050	601-5050
50-75mm	.001mm	600-5075	601-5075
75-100mm	.001mm	600-5100	601-5100
0-13mm	.01mm		601-A013
0-25mm	.01mm	600-4025	601-4025
25-50mm	.01mm	600-4050	601-4050
50-75mm	.01mm	600-4075	601-4075
75-100mm	.01mm	600-4100	601-4100
100-125mm	.01mm	600-4125	601-4125
125-150mm	.01mm	600-4150	601-4150
150-175mm	.01mm	600-4175	601-4175
175-200mm	.01mm	600-4200	601-4200

Outside Micrometer Sets

Horizontal Packing

- Ratchet and lock nut.
- Complete with standards (2" and up).
- Carbide tipped anvils.
- Forged steel frame up to 6".
- Tubular steel frame (6" and up).



Piece	Range	Grad.	Painted Order No.	Chrome- Plated Order No.	Grad.	Painted Order No.	Chrome- Plated Order No.
3Pcs/set	0-3"	.001"	600-1003	601-1003	.0001"	600-1013	601-1013
4Pcs/set	0-4"	.001"	600-1004	601-1004	.0001"	600-1014	601-1014

Piece	Range	Grad.	Painted Order No.	Chrome- Plated Order No.
3Pcs/set	0-75mm	.01mm	600-1023	601-1023
4Pcs/set	0-100mm	.01mm	600-1024	601-1024

Vertical Packing

- Ratchet and lock nut.
- Complete with standards (2" and up).
- Carbide tipped anvils.
- Forged steel frame up to 6".
- Tubular steel frame (6" and up).



Piece	Range	Grad.	Painted Order No.	Chrome- Plated Order No.	Grad.	Painted Order No.	Chrome- Plated Order No.
3Pcs/set	0-3"	.001"	600-H003	601-1003	.0001"	600-H013	601-1013
4Pcs/set	0-4"	.001"	600-H004	601-1004	.0001"	600-H014	601-1014
6Pcs/set	0-6"	.001"	600-1006	601-1006	.0001"	600-1016	601-1016
6Pcs/set	6-12"	.001"	600-1009		.0001"	600-1019	
12Pcs/set	0-12"	.001"	600-1012		.0001"	600-1122	

Piece	Range	Grad.	Painted Order No.	Chrome- Plated Order No.
3Pcs/set	0-75mm	.001mm	600-H023	601-H023
4Pcs/set	0-100mm	.001mm	600-H024	601-H024
6Pcs/set	0-150mm	.01mm	600-1026	601-1026
12Pcs/set	0-300mm	.01mm	600-1212	
4Pcs/set	100-200mm	.01mm	600-1126	
6Pcs/set	150-300mm	.01mm	600-1029	
4Pcs/set	200-300mm	.01mm	600-1129	

Outside Micrometer

Chrome, Equivalent Chart

- Satin-chrome finish
- Carbide measuring faces
- Convertible "friction" to "feel" thimble sleeve
- Spindle locks are standard
- 1-2" and 3-3" models have insulated frames

Range	Grad.	Order No.
0-1"	0.0001"	601-0501
1-2	0.0001	601-0502
0-25mm	0.01mm	601-0525
25-50	0.01	601-0550



Parallax Free Outside Micrometers


- No parallax error sleeve scale.
- Ratchet friction thimble.



Range	Painted .0001" Order No.	Chrome-Plated .0001" Order No.	Chrome-Plated .00005" Order No.
0-1"	600-9141	601-9141	601-9101
1-2"	600-9142	601-9142	601-9112
2-3"	600-9143	601-9143	601-9123
3-4"	600-9144	601-9144	
4-5"	600-9145	601-9145	
5-6"	600-9146	601-9146	
6-7"	600-9147	601-9147	
7-8"	600-9148	601-9148	

Range	Grad.	Painted Order No.	Chrome-Plated Order No.
0-15mm	.002mm		601-9140
0-25mm	.001mm	600-9130	601-9130
25-50mm	.001mm	600-9131	601-9131
50-75mm	.001mm	600-9132	601-9132
75-100mm	.001mm	600-9133	601-9133
100-125mm	.001mm	600-9134	601-9134
125-150mm	.001mm	600-9135	601-9135
150-175mm	.001mm	600-9136	601-9136
175-200mm	.001mm	600-9137	601-9137


A-Type Outside Micrometers



Range	Grad.	Chrom-Plated Order No.
0-15mm	.01mm	601-A013
0-25mm	.01mm	601-A025
0-0.6"	.001"	601-1001
0-1"	.001"	601-A001
0-1"	.0001"	601-A011

C-Type Outside Micrometers & Sets

- Ratchet stop.
- Complete with standards (2" and up).



Inch Individuals

	.001"	.0001"
Range	Order No.	Order No.
0-1"	600-C001	600-C011
1-2"	600-C002	600-C012
2-3"	600-C003	600-C013
3-4"	600-C004	600-C014
4-5"		600-C015
5-6"		600-C016

Metric Individuals

Range	Grad.	Order No.
0-25mm	.01mm	600-C025
25-50mm	.01mm	600-C050
50-75mm	.01mm	600-C075
75-100mm	.01mm	600-C100
100-125mm	.01mm	600-C125
125-150mm	.01mm	600-C150

Inch Sets

Pcs	Range	Grad.	Order No.
3	0-3"	.0001"	600-C403
4	0-4"	.0001"	600-C404
6	0-6"	.0001"	600-C406

Metric Sets

Pcs	Range	Grad.	Order No.
3	0-75mm	.01mm	600-C303
4	0-100mm	.01mm	600-C304
6	0-150mm	.01mm	600-C306

Outside Micrometers

- Precise frame and big styles for direct and easy reading.
- Inside force-limited device for precise repeated reading.
- Adiabatic frame and one-hand high precision measuring for verity measurement.
- Carbide measuring faces for enduring stability.



Range	Graduation	Accuracy	Order No.
0-25mm	0.001mm	0.004mm	600-0131
25-50mm	0.001mm	0.004mm	600-0132
50-75mm	0.001mm	0.005mm	600-0133
75-100mm	0.001mm	0.005mm	600-0144



Range	Graduation	Accuracy	Order No.
100-150mm	0.001mm	0.006mm	600-0145
150-200mm	0.001mm	0.007mm	600-0146
200-250mm	0.001mm	0.007mm	600-0147
250-300mm	0.001mm	0.008mm	600-0148

Digital Outside Micrometers

- Ratchet stop.
- Carbide tipped anvils.
- Positive locking nut.
- Clear graduations on satin chrome finished thimble.



Range	.001" Order No.	.0001" Order No.	Range	.01mm Order No.	.001mm Order No.
0-1"	600-3001	600-3011	0-25mm	600-3025	601-9225
1-2"	600-3002	600-3012	25-50mm	600-3050	601-9250
2-3"	600-3003	600-3013	50-75mm	600-3075	601-9275
3-4"	600-3004	600-3014	75-100mm	600-3100	601-9300
4-5"	600-3005	600-3015	100-125mm	600-3125	
5-6"	600-3006	600-3016	125-150mm	600-3150	
6-7"	600-3007	600-3017	150-175mm	600-3175	
7-8"	600-3008	600-3018	175-200mm	600-3200	
8-9"	600-3009	600-3019	200-225mm	600-3225	
9-10"	600-3010	600-3020	225-250mm	600-3250	
10-11"	600-3111	600-3021	250-275mm	600-3270	
11-12"	600-3112	600-3022	275-300mm	600-3272	

Digital Outside Micrometer Sets

- 0-3" (0-75mm) & 0-4" (0-100mm):
Horizontal packing, 0-6" (0-150mm), 0-12" (0-300mm) & 6-12" (150-300mm):
Vertical packing.



Piece	Range	Wooden Case		Plastic Case
		.001" Order No.	.0001" Order No.	.0001" Order No.
3-pc set	0-3"	600-3203		600-3213
4-pc set	0-4"	600-3204		600-3214
6-pc set	0-6"	600-3206	600-3216	
6-pc set	6-12"	600-3207	600-3217	
12-pc set	0-12"	600-3208	600-3218	

Piece	Range	Wooden Case	Plastic Case
		.01mm Order No.	.01mm Order No.
3-pc set	0-75mm		600-3275
4-pc set	0-100mm		600-3300
6-pc set	0-150mm	600-3350	
6-pc set	150-300mm	600-3355	
12-pc set	0-300mm	600-3360	

Limit Micrometers


- Can be used GO/NC as gage by setting the upper and lower limits
- Carbide measuring faces.
- Painted frame
- Resolution: 0.002mm(metric),
0.0001"(inch)

Range	Grad.	Order No.
0-1"	.00005"	600-7331
1-2"	.00005"	600-7332
0-25mm	.001mm	600-7333
25-50mm	.001mm	600-7334



IP54 Indicator Snap Micrometers

- Protection level IP54
- Carbide measuring faces: dia.10
- Direct GO/NG justment for mass-produced part
- Painted frame
- Indicator Range:
+/-0.004mm(Metric),
+/-0.0015"(Inch)
- Resolution:0.001mm/0.0005"



Range	Graduation	Dial Scale	Order No.
0-1"	.00005"	-15~0~+15	600-0541
1-2"	.00005"	-15~0~+15	600-0542
0-25mm	.001mm	-40~0~+40	600-0543
25-50mm	.001mm	-40~0~+40	600-0544

Indicator Micrometers

- Carbide faces.
- Chrome-plated frame.
- Premium quality.
- Can be used as a Go/ No Go gage.



Range	Graduation	Dial Scale	Order No.
0-1"	.00005"	-15~0~+15	600-0501
1-2"	.00005"	-15~0~+15	600-0502
0-25mm	.001mm	-40~0~+40	600-0511
25-50mm	.001mm	-40~0~+40	600-0512



Range	Graduation	Dial Scale	Order No.
0-1"	.00005"	-15~0~+15	600-0521
1-2"	.00005"	-15~0~+15	600-0522
0-25mm	.001mm	-40~0~+40	600-0531
25-50mm	.001mm	-40~0~+40	600-0532

Digital Outside Micrometer

2 Key Model

- Large LCD display.
- Zero setting at any position.
- mm/ABS/INC conversion.
- Manual power on/off.



Range	Grad.	Order No.
0-1"/25mm	0.0005"/0.01mm	600-8081
1-2"/25-50mm	0.0005"/0.01mm	600-8082