

Accessories - Bits

5/16" Hex. (3mm) Insert Bits



Phillips Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500367	PH1	30mm	8.4
N8500368	PH2	30mm	9.0
N8500369	PH3	30mm	9.6
N8500370	PH4	30mm	10.2



Pozidrive Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500371	PZ1	30mm	8.4
N8500372	PZ2	30mm	8.8
N8500373	PZ3	30mm	9.0
N8500374	PZ4	30mm	9.4



Slotted Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500375	5.5mm	30mm	9.7
N8500376	6.5mm	30mm	9.7
N8500377	8mm	30mm	10.4
N8500378	10mm	30mm	12.4



Slotted Impact Driver Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500379	8mm	36mm	12.7
N8500380	10mm	36mm	15.5
N8500381	8mm	80mm	31.1
N8500382	10mm	80mm	40.8



Hexagon (Allen) Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500383	3mm	30mm	8.4
N8500384	4mm	30mm	8.6
N8500385	5mm	30mm	9.5
N8500386	6mm	30mm	10.4
N8500387	8mm	30mm	12.4




Security Star Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500388	T20	30mm	8.4
N8500389	T25	30mm	8.6
N8500390	T27	30mm	8.9
N8500391	T30	30mm	9.1
N8500392	T40	30mm	9.8
N8500393	T45	30mm	10.5
N8500394	T50	30mm	11.3



Star Insert Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500395	T20	30mm	8.5
N8500396	T25	30mm	8.7
N8500397	T27	30mm	9.0
N8500398	T30	30mm	9.3
N8500399	T40	30mm	9.9
N8500400	T45	30mm	10.7
N8500401	T50	30mm	11.5



Phillips Impact Driver Bit
3mm (5/16")

Item No.	Size	Length	Wt. (g)
N8500402	PH1	36mm	10.0
N8500403	PH2	36mm	10.8
N8500404	PH3	36mm	11.6
N8500405	PH4	36mm	12.3
N8500406	PH1	80mm	29.9
N8500407	PH2	80mm	30.4
N8500408	PH3	80mm	30.7

Warning: Face and eye protection must be worn while operating power tools per ANSI B186.1. Cutting tool maximum speed rating must be equal or exceed speed of air tool @ 90psi (620kpa). Use cutting tool manufacturer's mounting and operating instructions.

It is user's responsibility to refer and comply with ANSI B7.1

Hex. (4mm) Insert Bits



Phillips Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500409	PH000	28mm	-
N8500410	PH00	28mm	-
N8500411	PH0	28mm	-
N8500412	PH1	28mm	-



Pozidrive Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500413	PZ1	28mm	-
N8500414	PZ2	28mm	-



Slotted Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500415	1.0	28mm	-
N8500416	1.5	28mm	-
N8500417	2.0	28mm	-
N8500418	2.5	28mm	-
N8500419	3.0	28mm	-
N8500420	3.5	28mm	-
N8500421	4.0	28mm	-



Hexagon(Allen) Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500422	0.7mm	28mm	-
N8500423	0.9mm	28mm	-
N8500424	1.3mm	28mm	-
N8500425	1.5mm	28mm	-
N8500426	2.0mm	28mm	-
N8500427	2.5mm	28mm	-
N8500428	3.0mm	28mm	-
N8500429	4.0mm	28mm	-



Hexagon(Allen) Precision Insert Bit-S.A.E 4mm

Item No.	Size	Length	Wt. (g)
N8500430	1/16"	28mm	-
N8500431	5/64"	28mm	-
N8500432	3/32"	28mm	-



Ball Point Hexagon Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500433	1.5mm	28mm	-
N8500434	2.0mm	28mm	-
N8500435	2.5mm	28mm	-
N8500436	3.0mm	28mm	-



Ball Point Hexagon Precision Insert Bit-S.A.E 4mm

Item No.	Size	Length	Wt. (g)
N8500437	1/16"	28mm	-
N8500438	5/64"	28mm	-
N8500439	3/32"	28mm	-



Star Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500440	T3	28mm	-
N8500441	T4	28mm	-
N8500442	T5	28mm	-
N8500443	T6	28mm	-
N8500444	T7	28mm	-
N8500445	T8	28mm	-
N8500446	T9	28mm	-
N8500447	T10	28mm	-
N8500448	T15	28mm	-
N8500449	T20	28mm	-



Security Star Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500450	T5	28mm	-
N8500451	T6	28mm	-
N8500452	T7	28mm	-
N8500453	T8	28mm	-
N8500454	T9	28mm	-
N8500455	T10	28mm	-
N8500456	T15	28mm	-
N8500457	T20	28mm	-



Socket Head Precision Insert Bit 4mm

Item No.	Size	Length	Wt. (g)
N8500458	2.0mm	28mm	-
N8500459	2.3mm	28mm	-
N8500460	2.5mm	28mm	-

1/4" Hex. (6.25mm) Insert Bits



Phillips Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500262	PH0	30mm	5.4
N8500263	PH1	30mm	5.4
N8500264	PH2	30mm	5.9
N8500265	PH3	30mm	6.0



Phillips Non-Slip Rib Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500268	PH1	30mm	4.9
N8500269	PH2	30mm	5.3
N8500270	PH3	30mm	6.7



Pozidrive Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500271	PZ0	30mm	5.3
N8500272	PZ1	30mm	5.6
N8500273	PZ2	30mm	5.9
N8500274	PZ3	30mm	6.1



Pozidrive Non-Slip Rib Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500275	PZ1	30mm	5.5
N8500276	PZ2	30mm	5.9
N8500277	PZ3	30mm	6.1



Drywall Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500266	PH2	25mm	-



Slotted Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500307	3mm	30mm	5.1
N8500308	4mm	30mm	5.3
N8500309	5mm	30mm	5.7
N8500310	6mm	30mm	6.1



Hexagon (Allen) Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500278	1.5mm	30mm	4.8
N8500279	2.0mm	30mm	5.2
N8500280	2.5mm	30mm	5.3
N8500281	3.0mm	30mm	5.4
N8500282	4.0mm	30mm	5.8
N8500283	5.0mm	30mm	6.7
N8500284	6.0mm	30mm	7.3
N8500285	1/16"	30mm	5.0
N8500286	5/64"	30mm	5.4
N8500287	3/32"	30mm	5.5
N8500288	1/8"	30mm	5.5
N8500289	5/32"	30mm	6.0
N8500290	3/16"	30mm	6.5
N8500291	7/32"	30mm	6.9
N8500292	1/4"	30mm	6.5



Security Hexagon (Allen) Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500293	2.0mm	30mm	5.2
N8500294	2.5mm	30mm	5.2
N8500295	3.0mm	30mm	5.3
N8500296	4.0mm	30mm	5.8
N8500297	5.0mm	30mm	6.4
N8500298	6.0mm	30mm	6.9
N8500299	5/64"	30mm	5.4
N8500301	3/32"	30mm	5.3
N8500302	1/8"	30mm	5.5
N8500303	5/32"	30mm	6.0
N8500304	3/16"	30mm	6.5
N8500305	7/32"	30mm	6.9
N8500306	1/4"	30mm	7.1



Drywall Indenter Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500267	PH2	25mm	4.6



Spline Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500346	M5	30mm	6.0
N8500347	M6	30mm	6.8

Warning: Face and eye protection must be worn while operating power tools per ANSI B186.1. Cutting tool maximum speed rating must be equal or exceed speed of air tool @ 90psi (620kpa). Use cutting tool manufacturer's mounting and operating instructions.

It is user's responsibility to refer and comply with ANSI B7.1

1/4" Hex. (6.25mm) Insert Bits



Tamperproof Star Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500328	T7	30mm	5.0
N8500329	T8	30mm	5.1
N8500330	T9	30mm	5.1
N8500331	T10	30mm	5.2
N8500332	T15	30mm	5.4
N8500333	T20	30mm	5.5
N8500334	T25	30mm	5.7
N8500335	T27	30mm	5.9
N8500336	T30	30mm	6.2
N8500337	T40	30mm	6.7



Ball Point Hexagon Insert Bit
Din3126 Form C 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500338	3mm	30mm	5.6
N8500339	4mm	30mm	6.0
N8500340	5mm	30mm	6.4
N8500341	6mm	30mm	6.8



Square (Robertson) Insert Bit
Din3126 Form C 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500342	S0	30mm	5.2
N8500343	S1	30mm	5.5
N8500344	S2	30mm	5.8
N8500345	S3	30mm	6.1



Torqset Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500362	#4	25mm	4
N8500363	#5	25mm	4.2
N8500364	#6	25mm	4.6
N8500365	#8	25mm	5.2
N8500366	#10	32mm	5.3



Slotted Non Slip Rib Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500311	3mm	25mm	4.2
N8500312	4mm	25mm	4.4
N8500313	5mm	25mm	4.8
N8500314	6mm	25mm	5.2



Clutch Insert Bit
Din3126 Form C 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500348	3/32"	30mm	5.3
N8500349	1/8"	30mm	5.4
N8500350	5/32"	30mm	5.7
N8500351	3/16"	30mm	5.8



Spanner Insert Bit
Din3126 Form C 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500352	#4	30mm	5.3
N8500353	#6	30mm	5.3
N8500354	#8	30mm	5.7
N8500355	#10	30mm	5.7



Triwing Insert Bit
Din3126 Form C 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500356	#0	30mm	5.3
N8500357	#1	30mm	5.6
N8500358	#2	30mm	5.6
N8500359	#3	30mm	5.7
N8500360	#4	30mm	6.1
N8500361	#5	30mm	6.5



Star Insert Bit
Din3126 Form C 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500315	T5	25mm	4.1
N8500316	T6	25mm	4.1
N8500317	T7	25mm	4.2
N8500318	T8	25mm	4.2
N8500319	T9	25mm	4.2
N8500320	T10	25mm	4.4
N8500321	T15	25mm	4.5
N8500322	T20	25mm	4.6
N8500323	T25	25mm	4.8
N8500324	T27	25mm	5.2
N8500325	T30	25mm	5.4
N8500326	T40	25mm	6
N8500327	T45	25mm	7.1

Hex. (10mm) Insert Bits



**Rib Insert Bit Hex Shank
10mm**

Item No.	Size	Length	Wt(g)
N8500481	M4	30mm	12
N8500482	M5	30mm	12
N8500483	M6	30mm	14
N8500484	M7	30mm	14
N8500485	M8	30mm	16
N8500486	M9	30mm	16
N8500487	M10	30mm	18
N8500488	M11	30mm	20
N8500489	M12	30mm	22
N8500490	M13	30mm	24
N8500491	M14	30mm	26
N8500492	M4	75mm	42
N8500493	M5	75mm	42
N8500494	M6	75mm	44
N8500495	M7	75mm	44
N8500496	M8	75mm	44
N8500497	M9	75mm	46
N8500498	M10	75mm	48
N8500499	M11	75mm	54
N8500500	M12	75mm	60
N8500501	M13	75mm	68
N8500502	M14	75mm	78



**Tamperproof Star Insert Bit
Hex Shank 10mm**

Item No.	Size	Length	Wt(g)
N8500517	T20	30mm	12.1
N8500518	T25	30mm	12.5
N8500519	T27	30mm	12.5
N8500520	T30	30mm	12.8
N8500521	T40	30mm	13.6
N8500522	T45	30mm	14.4
N8500523	T50	30mm	15.2
N8500524	T55	30mm	17.3
N8500525	T20	75mm	42.0
N8500526	T25	75mm	42.5
N8500527	T27	75mm	42.7
N8500528	T30	75mm	43.2
N8500529	T40	75mm	43.4
N8500530	T45	75mm	44.4
N8500531	T50	75mm	45.8
N8500532	T55	75mm	47.1



**Slotted Insert Bit Hex Shank
10mm**

Item No.	Size	Length	Wt(g)
N8500461	8mm	30mm	16
N8500462	10mm	30mm	18



**Hexagon (Allen) Insert
Bit 10mm**

Item No.	Size	Length	Wt(g)
N8500503	4mm	30mm	12.4
N8500504	5mm	30mm	13.1
N8500505	6mm	30mm	14.1
N8500506	7mm	30mm	15.3
N8500507	8mm	30mm	16.9
N8500508	10mm	30mm	19.6
N8500509	12mm	30mm	24.3
N8500510	4mm	75mm	42.6
N8500511	5mm	75mm	43.1
N8500512	6mm	75mm	44.7
N8500513	7mm	75mm	45.3
N8500514	8mm	75mm	46.7
N8500515	10mm	75mm	49.5
N8500516	12mm	75mm	66.9



**Star Insert Bit Hex Shank
10mm**

Item No.	Size	Length	Wt(g)
N8500463	T20	30mm	12.1
N8500464	T25	30mm	12.5
N8500465	T27	30mm	12.5
N8500466	T30	30mm	13.2
N8500467	T40	30mm	13.9
N8500468	T45	30mm	14.9
N8500469	T50	30mm	15.8
N8500470	T55	30mm	18.3
N8500471	T60	30mm	22.1
N8500472	T20	75mm	41.9
N8500473	T25	75mm	42.3
N8500474	T27	75mm	42.9
N8500475	T30	75mm	42.9
N8500476	T40	75mm	43.7
N8500477	T45	75mm	44.6
N8500478	T50	75mm	45.8
N8500479	T55	75mm	48.1
N8500480	T60	75mm	64.7



**Spline Insert Bit Hex Shank
10mm**

Item No.	Size	Length	Wt(g)
N8500533	M5	30mm	12.7
N8500534	M6	30mm	13.7
N8500535	M8	30mm	14.7
N8500536	M10	30mm	17.2
N8500537	M12	30mm	20.3
N8500538	M5	75mm	42.7
N8500539	M6	75mm	43.5
N8500540	M8	75mm	44.6
N8500541	M10	75mm	47.3
N8500542	M12	75mm	56.3

Warning: Face and eye protection must be worn while operating power tools per ANSI B186.1. Cutting tool maximum speed rating must be equal or exceed speed of air tool @ 90psi (620kpa). Use cutting tool manufacturer's mounting and operating instructions.

It is user's responsibility to refer and comply with ANSI B7.1

1/4" Hex. (6.25mm) Impact Bits



Phillips Power Bit
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500001	PH1	50mm	11
N8500002	PH2	50mm	11.3
N8500003	PH3	50mm	11.4



Phillips Non-Slip Rib Power Bit
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500004	PH1	50mm	10.9
N8500005	PH2	50mm	11.2
N8500006	PH3	50mm	11.4



Pozidrive Power Bit
Din3126 Form E 6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500007	PZ1	50mm	10.9
N8500008	PZ2	50mm	11.3
N8500009	PZ3	50mm	11.5



Pozidrive Non-Slip Rib Power Bit
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500010	PZ1	50mm	10.9
N8500011	PZ2	50mm	11.2
N8500012	PZ3	50mm	11.5



Slotted Power Bit
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500013	3.0mm	50mm	10.3
N8500014	4.0mm	50mm	10.7
N8500015	4.5mm	50mm	10.8
N8500016	5.5mm	50mm	11.3
N8500017	6.5mm	50mm	11.4
N8500018	8.0mm	50mm	13.9
N8500019	1/8"	50mm	9.5
N8500020	5/32"	50mm	9.8
N8500021	3/16"	50mm	10.3
N8500022	7/32"	50mm	10.8
N8500023	1/4"	50mm	11.8



Pozidrive Double Ended Power Bit
Japanese A14

Item No.	Size	Length	Wt. (g)
N8500126	PZ1	65mm	13.2
N8500127	PZ2	65mm	13.6
N8500128	PZ3	65mm	13.8



Phillips Double Ended Power Bit
Japanese B43 Q Type

Item No.	Size	Length	Wt. (g)
N8500116	PH1	75mm	9.2
N8500117	PH2	75mm	9.6
N8500118	PH3	75mm	9.7
N8500120	PH2	100mm	13.8
N8500121	PH2	150mm	13.8
N8500122	PH1	65mm	22.5
N8500123	PH2	65mm	22.5
N8500124	PH3	65mm	36.3



Pozidrive Reduced Shank Power Bit
Din3126 Form E 6.3 (1/4") F Type

Item No.	Size	Length	Wt. (g)
N8500078	PZ1	4.5x50mm	9.1
N8500079	PZ2	6x50mm	10.6
N8500080	PZ3	6x50mm	10.7
N8500081	PZ1	4.5x75mm	13.7
N8500082	PZ2	6x75mm	15.8
N8500083	PZ3	6x75mm	16.1
N8500084	PZ1	4.5x100mm	17.2
N8500085	PZ2	6x100mm	21.1
N8500086	PZ3	6x100mm	21.4
N8500087	PZ2	6x150mm	32.0



Pozidrive Non-Slip Rib Reduced Shank Power Bit
Din3126 Form E 6.3 (1/4") F Type

Item No.	Size	Length	Wt. (g)
N8500088	PZ1	4x50mm	9.2
N8500089	PZ2	6x50mm	10.7
N8500090	PZ3	6x50mm	10.8

1/4" Hex (6.25mm) Impact Bits



**Slotted Reduced Shank
Power Bit** Din3126 Form E
6.3(1/4") F Type

Item No.	Size	Length	Wt. (g)
N8500091	3.0mm	3x50mm	7.6
N8500092	4.0mm	4x50mm	8.2
N8500093	4.5mm	4.5x50mm	8.8
N8500094	5.5mm	5.5x50mm	10.2
N8500095	6.5mm	6.5x50mm	11.6



**Slotted Non-Slip Rib
Reduced Shank Power Bit**
Din3126
Form E 6.3 (1/4") F Type

Item No.	Size	Length	Wt. (g)
N8500096	4.0mm	4x50mm	7.9
N8500097	4.5mm	4.5x50mm	8.9
N8500098	5.0mm	5x50mm	9.5
N8500099	5.5mm	5.5x50mm	10.2
N8500100	6.0mm	6x50mm	11.7



**Star Reduced Shank Power
Bit** Din3126 Form E 6.3
(1/4") F Type

Item No.	Size	Length	Wt.(g)
N8500101	T8	4.5x50mm	7.9
N8500102	T9	4.5x50mm	8.1
N8500103	T10	4.5x50mm	8.4
N8500104	T15	4.5x50mm	8.4
N8500105	T20	5x50mm	8.7
N8500106	T25	5x50mm	9.2
N8500107	T27	5.5x50mm	10.4
N8500108	T30	6x50mm	10.4



**Tamperproof Star Reduced
Shank Power Bit** Din3126
Form 6.3 (1/4") Q Type

Item No.	Size	Length	Wt. (g)
N8500109	T10	4.5x50mm	8.4
N8500110	T15	4.5x50mm	8.4
N8500111	T20	5x50mm	8.7
N8500112	T25	5x50mm	9.2
N8500113	T27	5.5x50mm	10.4
N8500114	T30	6x50mm	10.4



**Phillips Double Ended
Power Bit** Japanese
A14 Q Type

Item No.	Size	Length	Wt. (g)
N8500116	PH1	45mm	9.2
N8500117	PH2	45mm	9.6
N8500118	PH3	45mm	9.7
N8500119	PH1	65mm	13.3
N8500120	PH2	65mm	13.8
N8500121	PH3	65mm	13.8
N8500122	PH1	110mm	22.5
N8500123	PH2	110mm	22.5
N8500124	PH2	150mm	36.3
N8500125	PH2	200mm	45



Double Ended Power Bit
Japanese A14 Q Type

Item No.	Size	Length	Wt. (g)
N8500115	PH2-SL6	65mm	13.8



**Slotted Non-Slip Rib Power
Bit** Din3126 Form E 6.3
(1/4") F Type

Item No.	Size	Length	Wt. (g)
N8500024	4mm	50mm	10.4
N8500025	5mm	50mm	10.8
N8500026	6mm	50mm	10.8



Hexagon (Allen) Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500027	1.5mm	50mm	10.3
N8500028	2.0mm	50mm	10.5
N8500029	2.5mm	50mm	10.7
N8500030	3.0mm	50mm	10.8
N8500031	4.0mm	50mm	11.3
N8500032	5.0mm	50mm	11.9
N8500033	6.0mm	50mm	12.7
N8500034	7.0mm	50mm	14.7
N8500035	8.0mm	50mm	17.1
N8500036	1/16"	50mm	8.1
N8500037	5/64"	50mm	8.8
N8500038	3/32"	50mm	8.7
N8500039	1/8"	50mm	9.5
N8500040	5/32"	50mm	10.3
N8500041	3/16"	50mm	11.1
N8500042	7/32"	50mm	11.8
N8500043	1/4"	50mm	12.4
N8500044	5/16"	50mm	17.1

Warning: Face and eye protection must be worn while operating power tools per ANSI B186.1. Cutting tool maximum speed rating must be equal or exceed speed of air tool @ 90psi (620kpa). Use cutting tool manufacturer's mounting and operating instructions.

It is user's responsibility to refer and comply with ANSI B7.1

1/4" Hex (6.25mm) Impact Bits



Star Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500045	T8	50mm	8.3
N8500046	T9	50mm	8.3
N8500047	T10	50mm	10.6
N8500048	T15	50mm	10.7
N8500049	T20	50mm	10.9
N8500050	T25	50mm	11.1
N8500051	T27	50mm	11.4
N8500052	T30	50mm	11.7
N8500053	T40	50mm	12.3



Tamperproof Star Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500054	T10	50mm	10.2
N8500055	T15	50mm	10.3
N8500056	T20	50mm	10.5
N8500057	T25	50mm	10.7
N8500058	T27	50mm	11.0
N8500059	T30	50mm	11.3
N8500060	T40	50mm	11.9



Square (Robertson) Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500061	S1	50mm	10.8
N8500062	S2	50mm	11.5
N8500063	S3	50mm	12.4



Phillips Reduced Shank Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500064	PH0	3x50mm	8.7
N8500065	PH1	4.5x50mm	9.2
N8500066	PH2	6x50mm	10.7
N8500067	PH3	6x50mm	10.8
N8500068	PH1	4.5x75mm	15.7
N8500069	PH2	6x75mm	16.0
N8500070	PH3	6x75mm	16.4
N8500071	PH1	4.5x100mm	16.4
N8500072	PH2	6x100mm	21.3
N8500073	PH3	6x100mm	21.6
N8500074	PH2	6x150mm	32.2



Phillips Non-Slip Rib Reduced Shank Power Bit
Din3126 Form E 6.3 (1/4")
F Type

Item No.	Size	Length	Wt. (g)
N8500075	PH1	50mm	9.2
N8500076	PH2	50mm	10.7
N8500077	PH3	50mm	10.8



Pin Type Power Socket Adaptor
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500205	1/4"Dr.	50mm	18
N8500206	1/4"Dr.	75mm	25
N8500207	1/4"Dr.	100mm	36
N8500208	1/4"Dr.	150mm	54
N8500209	1/4"Dr.	200mm	72
N8500210	3/8"Dr.	50mm	20
N8500211	3/8"Dr.	100mm	40
N8500212	1/2"Dr.	50mm	25
N8500213	1/2"Dr.	100mm	50



Ball Type Socket Adaptor
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500214	1/4"Dr.	50mm	14.3
N8500215	1/4"Dr.	65mm	19.6
N8500216	1/4"Dr.	75mm	23.6
N8500217	1/4"Dr.	100mm	28.6
N8500218	1/4"Dr.	150mm	32.6
N8500219	3/8"Dr.	65mm	26.3
N8500220	1/2"Dr.	75mm	45.3



Sds-Plus Socket Adaptor

Item No.	Size	Length	Wt. (g)
N8500221	3/8"Dr.	60mm	38
N8500222	1/2"Dr.	65mm	48



2 pcs Type Stainless Magnetic Bit Holder
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500230	10mm	60mm	22
N8500231	10mm	75mm	29
N8500232	10mm	100mm	36
N8500233	10mm	150mm	50

1/4" Hex (6.25mm) Impact Bits



2 pcs Type Stainless
Magnetic Bit Holder With
"C" Ring
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500234	11mm	60mm	26
N8500235	11mm	75mm	31



1 pcs Type Stainless
Magnetic Bit Holder With
"C" Ring
Din3126 Form E 6.3 (1/4")

Item No.	Size	Length	Wt. (g)
N8500236	11mm	60mm	28
N8500237	11mm	75mm	34

Electrical Screwdriver Bits



Electric Screwdriver Bit
4mm Round Shank
Japanese D73

Item No.	Size	Length	Wt. (g)
N8500182	PH00	1.7X20X40mm	3.4
N8500183	PH0	2.2X20X40mm	3.4
N8500184	PH1	2X20X40mm	4.2
N8500185	PH2	40mm	4.2
N8500186	PH00	1.7X20X60mm	5.4
N8500187	PH0	2X20X60mm	5.4
N8500188	PH1	2.5X20X60mm	6.6
N8500189	PH2	60mm	6.6



Electric Screwdriver Bit
5mm Round Shank
Japanese D76

Item No.	Size	Length	Wt. (g)
N8500190	PH00	2X20X60mm	7.6
N8500191	PH0	2.5X25X60mm	7.6
N8500192	PH1	3X30X60mm	9.6
N8500193	PH2	60mm	9.6
N8500194	PH00	2X20X80mm	11.7
N8500195	PH0	2.5X20X80mm	11.7
N8500196	PH1	3X30X80mm	13.3
N8500197	PH2	80mm	13.3
N8500198	PH1	3x30x100mm	16.4
N8500199	PH2	100mm	16.4



Stainless Magnetic Bit
Holder With Magnetic
Screw cap
Din3126 Form E6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500241		60mm	34



Sds-Plus Stainless Magnetic
Bit Holder
Din3126 Form E6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500242	11mm	75mm	25



Power Drill Chuck Adaptor

Item No.	Size	Length	Wt. (g)
N8500243	3/8"	45mm	15.5
N8500244	1/2"	45mm	35.5



Power Drill Chuck Adaptor
To Suit Sds +Drill

Item No.	Size	Length	Wt. (g)
N8500245	1/2"	65mm	-



5/16" Stainless Magnetic Bit
Holder With "C" Ring
Din3126 Form E6.3(1/4")

Item No.	Size	Length	Wt. (g)
N8500246	13mm	60mm	32



FQHOD300 1/4" Shank
300mm Long Flexible
Q/Release Bit Holder

Item No.	Size	Length	Wt. (g)
N8500247	1/4"	300mm	-



LT-00202 1/4" Shank
D/Ended Bits & Magnetic
Collar Set

Item No.	Size	Length	Wt. (g)
N8500248	PH2XPH2	65mm	-
N8500249	S2XS2	65mm	-

Warning: Face and eye protection must be worn while operating power tools per ANSI B186.1. Cutting tool maximum speed rating must be equal or exceed speed of air tool @ 90psi (620kpa). Use cutting tool manufacturer's mounting and operating instructions.

It is user's responsibility to refer and comply with ANSI B7.1

1/4" Hex (6.25mm) Impact Bits



**Bit Adaptor For 1/4" ,
5/16" & 10mm Hex
Shank Hex Shank**

Item No.	Size	Wt. (g)
N8500250	1/4"(H)x1/4"Dr.	14
N8500251	1/4"(H)x3/8"Dr.	30
N8500252	1/4"(H)x1/2"Dr.	40
N8500253	5/16"(H)x3/8"Dr.	24
N8500254	5/16"(H)x1/2"Dr.	48
N8500255	10mm(H)x3/8"Dr.	28
N8500256	10mm(H)x1/2"Dr.	50
N8500257	14mm(H)x1/2"Dr.	54



**Stainless Magnetic Bit
Holder**

Item No.	Size	Length	Wt. (g)
N8500258	1/4"Dr.x1/4"Hex	75mm	34



6mm Keyless Chuck

Item No.	Size	Length	Wt. (g)
N8500259	1/4"	-	-



**10mm Drill Chuck Keyless
Type-Q**

Item No.	Size	Length	Wt. (g)
N8500260	1/4"	-	-



**10mm Drill Chuck Keyless
Type-A**

Item No.	Size	Length	Wt. (g)
N8500261	1/4"	-	-