

Counterbores

NKS

2 Flute Solid Counterbores

High Speed Steel, Straight Shank



Fractional Sizes

Pilot Dia.	Cutting Size Dia.	Shank Dia.	Overall Length	Order No.
1/4"	13/32"	5/16"	3-5/8"	381-5316
5/16	15/32	3/8	4	381-5320
3/8	19/32	7/16	4-3/8	381-5324
7/16	21/32	1/2	4-3/4	381-5328
1/2	25/32	9/16	5-1/4	381-5332

Interchangeable Pilots Counterbores

High Speed Steel, Straight Shank, Right Hand

Use for counter boring holes for socket heads of cap screws



			Pilot		Straight				Taper					Pilot		Straight		Taper	
	Overall	No. of	Hole	Shank	Shank	Shank		Shank	Shank		Overall	No. of	Hole	Shank	Shank	Shank	Shank	Shank	
Size	Length	Flutes	Dia.	Dia.	Length	Order No.	Taper	Order No.		Size	Length	Flutes	Dia.	Dia.	Length	Order No.	Taper	Order No.	
3/16"	3"	3	3/32"	15/64	2-3/8"	381-2012	MT1	381-4012		53/64"	5-3/8"	3	1/4"	3/4"	3-7/8"	381-2053	MT2	381-4053	
13/64	3	3	3/32	15/64	2-3/8	381-2013	MT1	381-4013		27/32	5-3/8	3	1/4	3/4	3-7/8	381-2054	MT2	381-4054	
7/32	3	3	3/32	15/64	2-3/8	381-2014	MT1	381-4014		55/64	5-3/8	3	1/4	3/4	3-7/8	381-2055	MT2	381-4055	
15/64	3-13/16	3	3/32	15/64	3-1/16	381-2015	MT1	381-4015		7/8	5-3/8	3	1/4	3/4	3-7/8	381-2056	MT2	381-4056	
1/4	3-13/16	3	3/32	15/64	3-1/16	381-2016	MT1	381-4016		57/64	6-1/8	3	1/4	3/4	4-5/8	381-2057	MT2	381-4057	
17/64	3-13/16	3	3/32	17/64	3-1/16	381-2017	MT1	381-4017		29/32	6-1/8	3	1/4	3/4	4-5/8	381-2058	MT2	381-4058	
9/32	3-13/16	3	3/32	17/64	3-1/16	381-2018	MT1	381-4018		59/64	6-1/8	3	1/4	3/4	4-5/8	381-2059	MT2	381-4059	
19/64	3-13/16	3	3/32	17/64	3-1/16	381-2019	MT1	381-4019		15/16	6-1/8	3	1/4	3/4	4-5/8	381-2060	MT3	381-4060	
5/16	3-13/16	3	3/32	19/64	3-1/16	381-2020	MT1	381-4020		61/64	6-3/8	3	1/4	3/4	4-5/8	381-2061	MT3	381-4061	
21/64	3-13/16	3	3/32	5/16	3-1/16	381-2021	MT1	381-4021		31/32	6-3/8	3	5/16	3/4	4-5/8	381-2062	MT3	381-4062	
11/32	3-13/16	3	3/32	5/16	3-1/16	381-2022	MT1	381-4022		63/64	6-3/8	3	5/16	3/4	4-5/8	381-2063	MT3	381-4063	
23/64	4-1/16	3	5/32	5/16	3-1/16	381-2023	MT1	381-4023		1	6-3/8	3	5/16	3/4	4-5/8	381-2064	MT3	381-4064	
3/8	4-1/16	3	5/32	5/16	3-1/16	381-2024	MT1	381-4024		1-1/16	6-3/8	3	5/16	3/4	4-5/8	381-2068	MT3	381-4068	
25/64	4-1/16	3	5/32	3/8	3-1/16	381-2025	MT1	381-4025		1-1/8	6-3/8	3	5/16	1	4-5/8	381-2072	MT3	381-4072	
13/32	4-1/16	3	5/32	3/8	3-1/16	381-2026	MT1	381-4026		1-3/16	6-3/8	3	5/16	1	4-5/8	381-2076	MT3	381-4076	
27/64	4-1/16	3	5/32	3/8	3-1/16	381-2027	MT1	381-4027		1-1/4	6-5/8	5	3/8	1	4-5/8	381-2080	MT3	381-4080	
7/16	4-1/16	3	5/32	3/8	3-1/16	381-2028	MT1	381-4028		1-5/16	6-5/8	5	3/8	1	4-5/8	381-2084	MT3	381-4084	
29/64	4-5/16	3	3/16	7/16	3-1/16	381-2029	MT1	381-4029		1-3/8	6-5/8	5	3/8	1	4-5/8	381-2088	MT3	381-4088	
15/32	4-5/16	3	3/16	7/16	3-1/16	381-2030	MT1	381-4030		1-7/16	7-7/8	5	3/8	1-1/4	5-7/8	381-2090	MT4	381-4090	
31/64	4-5/16	3	3/16	7/16	3-1/16	381-2031	MT1	381-4031		1-1/2	7-7/8	5	3/8	1-1/4	5-7/8	381-2096	MT4	381-4096	
1/2	4-5/16	3	3/16	7/16	3-1/16	381-2032	MT1	381-4032		1-9/16	8-1/8	5	7/16	1-1/4	5-7/8	381-2100	MT4	381-4100	
33/64	4-5/16	3	3/16	1/2	3-1/16	381-2033	MT1	381-4033		1-5/8	8-1/8	5	7/16	1-1/4	5-7/8	381-2104	MT4	381-4104	
17/32	4-5/16	3	3/16	1/2	3-1/16	381-2034	MT1	381-4034		1-11/16	8-1/8	5	7/16	1-1/4	5-7/8	381-2108	MT4	381-4108	
35/64	4-5/16	3	3/16	1/2	3-1/16	381-2035	MT1	381-4035		1-3/4	8-1/8	5	7/16	1-1/4	5-7/8	381-2112	MT4	381-4112	
16	4-5/16	3	3/16	1/2	3-1/16	381-2036	MT1	381-4036		1-13/16	8-1/8	5	7/16	1-1/2	5-7/8	381-2116	MT4	381-4116	
37/64	5-1/8	3	3/16	1/2	3-7/8	381-2037	MT2	381-4037		1-7/8	8-1/8	5	7/16	1-1/2	5-7/8	381-2120	MT4	381-4120	
19/32	5-1/8	3	3/16	1/2	3-7/8	381-2038	MT2	381-4038		1-15/16	8-1/8	5	7/16	1-1/2	5-7/8	381-2124	MT4	381-4124	
39/64	5-1/8	3	3/16	1/2	3-7/8	381-2039	MT2	381-4039		2	8-3/8	5	1/2	1-1/2	5-7/8	381-2128	MT4	381-4128	
8	5-1/8	3	3/16	1/2	3-7/8	381-2040	MT2	381-4040		2-1/16	9-7/8	5	1/2	1-1/2	7-3/8	381-2136	MT5	381-4136	
41/64	5-1/8	3	3/16	1/2	3-7/8	381-2041	MT2	381-4041		2-1/8	9-7/8	5	1/2	1-1/2	7-3/8	381-2144	MT5	381-4144	
21/32	5-1/8	3	3/16	1/2	3-7/8	381-2042	MT2	381-4042		2-3/16	9-7/8	5	1/2	1-1/2	7-3/8	381-2152	MT5	381-4152	
43/64	5-1/8	3	3/16	1/2	3-7/8	381-2043	MT2	381-4043		2-1/4	9-7/8	5	1/2	1-1/2	7-3/8	381-2160	MT5	381-4160	
11/16	5-1/8	3	3/16	1/2	3-7/8	381-2044	MT2	381-4044		2-5/16	9-7/8	5	1/2	1-1/2	7-3/8	381-2168	MT5	381-4168	
45/64	5-3/8	3	1/4	1/2	3-7/8	381-2045	MT2	381-4045		2-3/8	9-7/8	5	1/2	1-3/4	7-3/8	381-2176	MT5	381-4176	
23/32	5-3/8	3	1/4	1/2	3-7/8	381-2046	MT2	381-4046		2-7/16	9-7/8	5	1/2	1-3/4	7-3/8	381-2184	MT5	381-4184	
47/64	5-3/8	3	1/4	1/2	3-7/8	381-2047	MT2	381-4047		2-1/2	9-7/8	5	1/2	1-3/4	7-3/8	381-2192	MT5	381-4192	
3/4	5-3/8	3	1/4	1/2	3-7/8	381-2048	MT2	381-4048		2-9/16	9-7/8	5	1/2	1-3/4	7-3/8	381-2200	MT5	381-4200	
49/64	5-3/8	3	1/4	5/8	3-7/8	381-2049	MT2	381-4049		2-5/8	9-7/8	5	1/2	1-3/4	7-3/8	381-2208	MT5	381-4208	
25/32	5-3/8	3	1/4	5/8	3-7/8	381-2050	MT2	381-4050		2-3/4	9-7/8	5	1/2	1-3/4	7-3/8	381-2216	MT5	381-4216	
51/64	5-3/8	3	1/4	5/8	3-7/8	381-2051	MT2	381-4051		2-7/8	9-7/8	5	1/2	1-3/4	7-3/8	381-2224	MT5	381-4224	
13/16	5-3/8	3	1/4	5/8	3-7/8	381-2052	MT2	381-4052		3	9-7/8	5	1/2	1-3/4	7-3/8	381-2232	MT5	381-4232	

Interchangeable Pilots For Counterbores

- Shank Diameters of interchangeable pilots must be same with the pilot holes of counterbore when choosing pilots.

Pilot Dia.	Pilot Shank Diameter								
	3/32" Order No.	1/8" Order No.	5/32" Order No.	3/16" Order No.	1/4" Order No.	5/16" Order No.	3/8" Order No.	7/16" Order No.	1/2" Order No.
1/8"	381-3005	381-3105							
5/32"	381-3009	381-3109	381-3203						
3/16"	381-3013	381-3113	381-3205						
7/32"	381-3017	381-3117	381-3209	381-3305					
1/4"	381-3021	381-3121	381-3213	381-3309	381-3405				
9/32"	381-3025	381-3125	381-3217	381-3313	381-3409				
5/16"	381-3029	381-3129	381-3221	381-3317	381-3413				
11/32"	381-3033	381-3133	381-3225	381-3321	381-3417				
3/8"	381-3037	381-3137	381-3229	381-3325	381-3421	381-3505			
13/32"		381-3141	381-3233	381-3329	381-3425	381-3509			
7/16"		381-3145	381-3237	381-3333	381-3429	381-3513	381-3605	381-3705	381-3805
15/32"		381-3149	381-3241	381-3337	381-3433	381-3517	381-3609	381-3707	381-3807
1/2"		381-3153	381-3245	381-3341	381-3437	381-3521	381-3613	381-3709	381-3809
17/32"				381-3345	381-3441	381-3525	381-3617	381-3713	381-3813
9/16"		381-3157		381-3349	381-3445	381-3529	381-3621	381-3715	381-3817
19/32"				381-3353	381-3449	381-3533	381-3625	381-3716	381-3819
5/8"				381-3357	381-3453	381-3537	381-3629	381-3717	381-3821
21/32"				381-3359	381-3457	381-3541	381-3633	381-3719	381-3823
11/16"				381-3361	381-3461	381-3545	381-3637	381-3721	381-3825
23/32"				381-3365	381-3465	381-3549	381-3641	381-3723	381-3827
3/4"				381-3369	381-3469	381-3553	381-3645	381-3725	381-3829
25/32"				381-3373	381-3473	381-3557	381-3649	381-3729	381-3833
13/16"				381-3377	381-3477	381-3561	381-3653	381-3733	381-3837
27/32"				381-3381	381-3481	381-3565	381-3657	381-3735	381-3839
7/8"				381-3385	381-3485	381-3569	381-3661	381-3737	381-3841
29/32"						381-3573	381-3665	381-3739	381-3843
15/16"						381-3577	381-3669	381-3741	381-3845
31/32"						381-3578	381-3670	381-3743	381-3847
1"						381-3581	381-3673	381-3745	381-3849
1-1/16"						381-3585	381-3677	381-3749	381-3853
1-1/8"						381-3589	381-3681	381-3753	381-3857
1-3/16"							381-3685	381-3757	381-3861
1-1/4"							381-3689	381-3761	381-3865
1-5/16"							381-3693	381-3765	381-3869
1-3/8"							381-3697	381-3769	381-3873
1-7/16"								381-3773	381-3877
1-1/2"								381-3777	381-3881
1-9/16"									381-3885
1-5/8"									381-3889
1-11/16"									381-3893
1-3/4"									381-3897
1-13/16"									381-3901
1-7/8"									381-3905
1-15/16"									381-3909
2"									381-3913

Interchangeable Pilots Counterbore Sets

High Speed Steel

21 Piece Set

Set Included one each of following:

Pilots:

4.4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8,
8.5, 9, 9.5, 10, 10.5mm

Counterbores:

8.5, 9.5, 10.5, 11.5, 13.5, 16.5mm

1 Piece Holder



Straight Shank

Order No.381-2921

Taper Shank

Order No.381-2923

22 Piece Set

Set Included one each of following:

Pilots:

12, 13, 14, 15, 16, 17, 18, 19,
20, 21, 22, 23, 24, 25mm

Counterbores:

26, 28, 30, 32, 33, 34, 36mm

1 Piece Holder



Straight Shank

Order No.381-2922

Taper Shank

Order No.381-2924

39 Piece 3 Flute Counterbore Set

Each Set Included:

13 Counterbores: 1/4-1" by 16ths

26 Pilots:

1/8", 5/32", 3/16", 1/4" with 3/32" shank
3/16", 7/32", 1/4", 9/32", 5/16" with 5/32" shank
1/4", 5/16", 3/8", 7/16", 1/2" with 3/16" shank
5/16", 3/8", 7/16", 1/2", 9/16", 5/8" with 1/4" shank
3/8", 7/16", 1/2", 9/16", 5/8", 3/4" with 5/16" shank



Straight Shank

Order No.381-2938

Taper Shank

Order No. 381-2939

Counterbores

NKS

HSS 4 Flute Interchangeable Pilot Aircraft Counterbores

Long Series - 1/2" or smaller Straight Shank

Can be used in any 1/2" capacity tool or machine.



Size	Shank Dia.	Hole Dia.	Overall Length	Order No.	Size	Shank Dia.	Hole Dia.	Overall Length	Order No.
1/4"	15/16"	3/32"	4"	381-0301	23/32"	1/2"	3/16"	5-3/8"	381-0316
9/32	17/64	3/32	4	381-0302	3/4	1/2	3/16	5-3/8	381-0317
5/16	119/64	3/32	4	381-0303	25/32	1/2	3/16	5-3/8	381-0318
11/32	5/16x	3/32	4	381-0304	13/16	1/2	3/16	5-3/8	381-0319
3/8	15/16	3/32	4	381-0305	7/8	1/2	3/16	5-3/8	381-0320
13/32	3/8	1/8	4	381-0306	15/16	1/2	3/16	5-3/8	381-0321
7/16	3/8	1/8	4	381-0307	1	1/2	3/16	5-3/8	381-0322
15/32	7/16	1/8	4-1/4	381-0308	1-1/16	1/2	3/16	5-1/2	381-0323
1/2	7/16	1/8	4-1/4	381-0309	1-1/8	1/2	3/16	5-1/2	381-0324
17/32	1/2	1/8	4-1/4	381-0310	1-3/16	1/2	3/16	5-1/2	381-0325
9/16	1/2	1/8	4-1/4	381-0311	1-1/4	1/2	3/16	5-1/2	381-0326
19/32	1/2	1/8	4-1/4	381-0312	1-5/16	1/2	1/4	5-1/2	381-0327
5/8	1/2	1/8	4-1/4	381-0313	1-3/8	1/2	1/4	5-1/2	381-0328
21/32	1/2	3/16	5-3/8	381-0314	1-7/16	1/2	1/4	5-1/2	381-0329
11/16	1/2	3/16	5-3/8	381-0315	1-1/2	1/2	1/4	5-1/2	381-0330

Short Series - 1/4" Straight Shank


Can be used in 1/4" electric or pneumatic drills especially in aircraft work



Size	Hole Dia.	Overall Length	Order No.	Size	Hole Dia.	Overall Length	Order No.
1/4"	3/32"	2-3/8"	381-0401	21/32"	3/16"	3-1/8"	381-0414
9/32	3/32	2-3/8	381-0402	11/16	3/16	3-1/8	381-0415
5/16	3/32	2-3/8	381-0403	23/32	3/16	3-1/8	381-0416
11/32	3/32	2-3/8	381-0404	3/4	3/16	3-1/8	381-0417
3/8	3/32	2-3/8	381-0405	25/32	3/16	3-1/8	381-0418
13/32	1/8	2-13/16	381-0406	13/16	3/16	3-1/8	381-0419
7/16	1/8	2-13/16	381-0407	27/32	3/16	3-1/8	381-0420
15/32	1/8	2-13/16	381-0408	7/8	3/16	3-1/8	381-0421
1/2	1/8	2-13/16	381-0409	29/32	3/16	3-1/8	381-0422
17/32	1/8	2-13/16	381-0410	15/16	3/16	3-1/8	381-0423
9/16	1/8	2-13/16	381-0411	31/32	3/16	3-1/8	381-0424
19/32	1/8	2-13/16	381-0412	1	3/16	3-1/8	381-0425
5/8	1/8	2-13/16	381-0413				

Taper Shank Counterbores


3 Flute, High Speed Steel



Cap Screw Size	Cutter Dia.	Pilot Dia.	Overall Length	Shank Taper	Order No.	Cap Screw Size	Cutter Dia.	Pilot Dia.	Overall Length	Shank Taper	Order No.
1/4"	13/32"	9/32"	5-3/4"	MT2	381-1025	5/8"	31/32"	21/32"	7-1/2"	MT2	381-1050
5/16	1/2	11/32	6	MT2	381-1030	5/8	11/16	1	7-1/2	MT2	381-1053
3/8	19/32	13/32	6-1/2	MT2	381-1035	3/4	1-3/16	13/16	9	MT3	381-1055
7/16	11/16	15/32	7	MT2	381-1040	7/8	1-3/8	15/16	9	MT3	381-1060
1/2	25/32	17/32	7-1/4	MT2	381-1045	1	1-9/16	1-1/16	10	MT3	381-1065

Cap Screw Counterbores

3 Flute, High Speed Steel, Straight Shank



Screw Size	Pilot Dia.	Cutting Dia.	Shank Dia.	Overall Length	Order No.	Screw Size	Pilot Dia.	Cutting Dia.	Shank Dia.	Overall Length	Order No.
5#	0.1410"	0.2210"	3/16"	3"	381-0005	7/16"	15/32"	11/16"	1/2"	7"	381-0040
6#	0.1500	0.2420	7/32	3	381-0010	1/2	17/32	25/32	3/4	7-1/2	381-0045
8#	11/64	19/64	1/4	3	381-0015	5/8	21/32	31/32	3/4	7-1/2	381-0050
10#	13/64	21/64	5/16	3-1/2	381-0020	3/4	13/16	1-3/16	1	8	381-0055
1/4	9/32	13/32	3/8	5	381-0025	7/8	15/16	1-3/8	1	8	381-0060
5/16	11/32	1/2	7/16	5	381-0030	1	1-1/16	1-9/16	1	10	381-0065
3/8	13/32	19/32	1/2	6	381-0035						

Cap Screw Counterbores Continued
4Flute, High Speed Steel, Straight Shank


Screw Size	Pilot Dia.	Cutting Dia.	Flute Length	Shank Dia.	Overall Length	Order No.	Screw Size	Pilot Dia.	Cutting Dia.	Flute Length	Shank Dia.	Overall Length	Order No.
4-40	0.1120	0.1860	11/16	5/32	3-7/8	381-0070	3/8	0.3750	0.5720	1-5/8	1/2	6-1/2	381-0110
4-40	0.1270	0.2020	11/16	5/32	3-7/8	381-0071	3/8	0.3900	0.5880	1-5/8	1/2	6-1/2	381-0115
4-40	0.1430	0.180	11/16	5/32	3-7/8	381-0072	3/8	0.4060	0.6040	1-5/8	1/2	6-1/2	381-0120
5-40	0.1250	0.2050	11/16	3/16	4-1/8	381-0074	7/16	.4370	0.6630	1-11/16	1/2	7	381-0125
5-40	0.1400	0.2210	11/16	3/16	4-1/8	381-0075	7/16	.4520	0.6790	1-11/16	1/2	7	381-0130
5-40	0.1560	0.2370	11/16	3/16	4-1/8	381-0076	7/16	.4680	0.6950	1-11/16	1/2	7	381-0135
6-32	0.1380	0.2280	7/8	7/32	4-5/8	381-0078	1/2	0.5000	0.7570	2	1/2	7-1/2	381-0140
6-32	0.1530	0.2440	7/8	7/32	4-5/8	381-0079	1/2	0.5150	0.7730	2	1/2	7-1/2	381-0145
6-32	0.1690	0.2600	7/8	7/32	4-5/8	381-0080	1/2	0.5310	0.7890	2	1/2	7-1/2	381-0150
8-32	0.1640	0.2720	15/16	1/4	5	381-0083	5/8	0.6250	0.9450	2	5/8	7-5/8	381-0155
8-32	0.1790	0.2880	15/16	1/4	5	381-0084	5/8	0.6400	0.9610	2	5/8	7-5/8	381-0160
8-32	0.1950	0.3040	15/16	1/4	5	381-0085	5/8	0.6560	0.9770	2	5/8	7-5/8	381-0165
10-32	0.1900	0.3140	1-1/8	9/32	5-1/4	381-0087	3/4	0.7500	1.1330	2-1/8	3/4	7-3/4	381-0170
10-32	0.2050	0.3300	1-1/8	9/32	5-1/4	381-0088	3/4	0.7650	1.1490	2-1/8	3/4	7-3/4	381-0175
10-32	0.2210	0.3460	1-1/8	9/32	5-1/4	381-0089	3/4	0.7810	1.1650	2-1/8	3/4	7-3/4	381-0180
1/4	0.2810	0.4140	1-5/16	5/16	5-5/8	381-0094	7/8	0.8750	1.3220	2-1/8	7/8	8-1/8	381-0185
1/4	0.2650	0.3980	1-5/16	5/16	5-5/8	381-0095	7/8	0.8910	1.3380	2-1/8	7/8	8-1/8	381-0190
1/4	0.2500	0.3820	1-5/16	5/16	5-5/8	381-0096	7/8	0.9060	1.3540	2-1/8	7/8	8-1/8	381-0195
5/16	0.3120	0.4750	1-5/16	3/8	6-1/8	381-0098	1	1.0000	1.5100	2-1/4	1	8-1/2	381-0200
5/16	0.3280	0.4910	1-5/16	3/8	6-1/8	381-0100	1	1.0150	1.5260	2-1/4	1	8-1/2	381-0205
5/16	0.3430	0.5070	1-5/16	3/8	6-1/8	381-0105	1	1.0310	1.5420	2-1/4	1	8-1/2	381-0210

Capscrew Counterbore Sets

Pieces	Descriptions	Set Order No.
6pcs	1/4, 5/16, 3/8, 1/2, 5/8 and 3/4"	381-9060
7pcs	6#, 8#, 10#, 1/4, 5/16, 3/8 and 1/2"	381-9070
10pcs	4-40 through 1/2", 1/32" Oversized Pilots	381-9101
10pcs	4-40 through 1/2", 1/64" Oversized Pilots	381-9102
10pcs	4-40 through 1/2", Standard Size Pilots	381-9103


Metric Capscrew Counterbores
High Speed Steel

3Flute, Straight Shank

Screw Size	Pilot Dia.	Cutter Dia.	Cutter Length	Shank Dia.	OAL	Order No.	Screw Size	Pilot Dia.	Cutter Dia.	Cutter Length	Shank Dia.	OAL	Order No.
M3	3.2	6	19.00	5.00	71	381-1503	M8	8.4	15	32.00	12.50	100	381-1508
M4	4.3	8	20.00	5.00	71	381-1504	M10	10.5	18	36.00	12.50	100	381-1510
M5	5.3	10	25.00	8.00	80	381-1505	M12	13.5	20	36.00	12.50	100	381-1512
M6	6.4	11	25.00	8.00	80	381-1506							381-1514

3Flute, Taper Shank

Screw Size	Pilot Dia.	Cutter Dia.	Cutter Length	Shank Taper	OAL	Order No.	Screw Size	Pilot Dia.	Cutter Dia.	Cutter Length	Shank Taper	OAL	Order No.
M14	15	24	60.325	MT2	228.6	381-1614	M20	21	33	79.375	MT2	254	381-1620
M16	17	26	79.375	MT2	228.6	381-1616	M24	25.4	40	79.375	MT3	254	381-1624

Capscrew Counterbore Sets

Pieces	Descriptions	Set Order No.
6pcs	Metric 3, 4, 5, 6, 8, 10mm	381-9061
7pcs	Metric 3, 4, 5, 6, 8, 10, 12mm	381-9079
8pcs	Metric 3, 4, 5, 6, 8, 10, 12, 14mm	381-9080

