


Vernier Depth Gages

Basic Model

- Designed for measuring depth of holes, slots and recesses.
- Clear graduations on satin chrome finish.
- All bases are hardened and micro-lapped.



Without Hook

Range	Grad.	Base	Carbon Steel	Stainless Steel
			Order No.	Order No.
0-6"	.001"	3"	111-0060	112-0060
0-8"	.001"	4"	111-0084	112-0084
0-12"	.001"	4"	111-0124	112-0124
0-20"	.001"	4"	111-0140	112-0140
0-6"	1/128"	3"	111-0061	112-0061
0-8"	1/128"	4"	111-0086	112-0086
0-12"	1/128"	4"	111-0125	112-0125
0-20"	1/128"	4"	111-0141	112-0141
0-8"/200mm	.001"/.02mm	4"	111-0620	112-0620
0-12"/300mm	.001"/.02mm	4"	111-0621	112-0621

Range	Grad.	Base	Carbon Steel	Stainless Steel
			Order No.	Order No.
0-150mm	.02mm	80mm	111-0152	112-0152
0-200mm	.02mm	100mm	111-0202	112-0202
0-300mm	.02mm	100mm	111-0302	112-0302
0-500mm	.02mm	100mm	111-0502	112-0502
0-150mm	.05mm	80mm	111-0155	112-0155
0-200mm	.05mm	100mm	111-0205	112-0205
0-300mm	.05mm	100mm	111-0305	112-0305
0-500mm	.05mm	100mm	111-0505	112-0505



With Hook

Range	Grad.	Base	Carbon Steel	Stainless Steel
			Order No.	Order No.
0-8"	.001"	4"	111-1084	112-1084
0-12"	.001"	4"	111-1124	112-1124
0-20"	.001"	4"	111-1140	112-1140
0-8"	1/128"	4"	111-1086	112-1086
0-12"	1/128"	4"	111-1125	112-1125
0-20"	1/128"	4"	111-1141	112-1141
0-8"/200mm	.001"/.02mm	4"	111-1620	112-1620
0-12"/300mm	.001"/.02mm	4"	111-1621	112-1621

Range	Grad.	Base	Carbon Steel	Stainless Steel
			Order No.	Order No.
0-200mm	.02mm	100mm	111-1202	112-1202
0-300mm	.02mm	100mm	111-1302	112-1302
0-500mm	.02mm	100mm	111-1502	112-1502
0-200mm	.05mm	100mm	111-1205	112-1205
0-300mm	.05mm	100mm	111-1305	112-1305
0-500mm	.05mm	100mm	111-1505	112-1505

Special Vernier Depth Gages

Small Measuring Point

- Mono-Block Vernier.
- Made of stainless steel.



Range	Graduation	Base	Order No.
0-80mm	.05mm	50mm	112-4085
0-200mm	.05mm	100mm	112-4205
0-300mm	.05mm	100mm	112-4305

Two End Using & Large Base

- Mono-Block Vernier.
- Made of stainless steel.
- With hook.



Range	Base	Grad.:.02 mm	Grad.:.05 mm
		Order No.	Order No.
0-200mm	100mm	112-5202	112-5205
0-300mm	150mm	112-5302	112-5305
0-400mm	150mm	112-5402	112-5405
0-500mm	150mm	112-5502	112-5505

Exchangeable Needle



Range	Graduation	Order No.
0-80mm	0.05mm	112-5085
0-160mm	0.05mm	112-5160
0-300mm	0.05mm	112-5300


Mono-Block Type



Range	Grad.	Base	Carbon Steel	Stainless Steel
			Order No.	Order No.
0-150mm	.02mm	80mm	111-2152	112-2152
0-200mm	.02mm	100mm	111-2202	112-2202
0-300mm	.02mm	100mm	111-2302	112-2302
0-300mm	.02mm	150mm	111-2303	112-2303
0-400mm	.02mm	100mm	111-2402	112-2402
0-400mm	.02mm	150mm	111-2403	112-2403
0-500mm	.02mm	100mm	111-2502	112-2502
0-500mm	.02mm	150mm	111-2503	112-2503
0-150mm	.05mm	80mm	111-2155	112-2155
0-200mm	.05mm	100mm	111-2205	112-2205
0-300mm	.05mm	100mm	111-2305	112-2305
0-300mm	.05mm	150mm	111-2306	112-2306
0-400mm	.05mm	100mm	111-2405	112-2405
0-400mm	.05mm	150mm	111-2406	112-2406
0-500mm	.05mm	100mm	111-2505	112-2505
0-500mm	.05mm	150mm	111-2506	112-2506

Vernier Depth Gages

With Fine Adjustment



Range	Grad.	Carbon Steel Order No.	Stainless Steel Order No.
0-150mm/6"	.02mm	111-2606	112-2606
0-200mm/8"	.02mm	111-2608	112-2608
0-300mm/12"	.02mm	111-2612	112-2612

Optional Extension Bases

- Stainless Steel
- Dial Depth Gages Type



Length	Order No.
7"	610-5007
10"	610-5010
12"	610-5012

Adjustable Angle Depth Gages


- Front side of head has a "V" groove to hold depth rod in upright position
- 6" stainless steel rule;
- Hardened and ground steel base.
- Not precisely a protractor, but the angle measurements in 15 degree increment are a use ful and welcomed feature.



Range	Graduation	Order No.
6"	0.5mm	615-6122

Double Dial Depth Caliper

- Dial is graduated in both inch and metric.
- Features separate hands for inch and metric measurements for easy recognition
- Range per revolution: .100"/2mm
- Graduations:.001"/.02mm
- Made of hardened stainless steel
- Include case



Range	Order No.
0-6"/150mm	102-0616
0-8"/200mm	102-0618

Digital Depth Gages

- Graduation .01mm/.0005"
- Three Key Type is popular than auto on/off type .

Without Hook



Range	Base	Three key Order No.	Auto on/off Order No.
0-150mm /6"	100mm	110-2150	110-0150
0-200mm /8"	100mm	110-2200	110-0200
0-300mm/12"	100mm	110-2300	110-0300
0-500mm/20"	120mm	110-2500	110-0500
0-150mm /6"	150mm	110-2151	110-0151
0-200mm/8"	150mm	110-2201	110-0201
0-300mm/12"	150mm	110-2301	110-0301
0-500mm/20"	150mm	110-2501	110-0501
0-500mm /20"	200mm	110-2502	110-0502

With Hook



Range	Base	Three key Order No.	Auto On/Off Order No.
0-150mm /6"	100mm	110-3150	110-1150
0-200mm /8"	100mm	110-3200	110-1200
0-300mm/12"	100mm	110-3300	110-1300
0-500mm/20"	120mm	110-3500	110-1500
0-150mm /6"	150mm	110-3151	110-1151
0-200mm/8"	150mm	110-3201	110-1201
0-300mm/12"	150mm	110-3301	110-1301
0-500mm/20"	150mm	110-3501	110-1501
0-500mm /20"	200mm	110-3502	110-1502

Digital Tread Depth Gauges

- Large LCD display.
- Zero setting at any position.
- Metric/Inch system interchange.
- Manual power on/off.
- Suitable for tread depth, brake shoe and pad wear.
- Operation Temperature: -5°C~40°C
- Weight: 40g



Range	Resolution	Order No.
0-25mm/1"	0.01mm/0.0005"	110-0100
0-25mm/1"	0.01mm/0.0005"/ 1/128"	110-0101

Digital depth gages

with adjustable extension base

Features:

Used to measure groove width and position of a groove
Wider extension bases
Power on / off
Mm/inch conversion
Zero-setting at any position
Data output

Wider Extension Bases only


Size	Order No.
300mm	610-5013
400mm	610-5014
500mm	610-5015

With Wider Extension Bases

Range	Graduation	Order No.
0-300mm	0.01mm/.0005"	110-3601
0-400mm	0.01mm/.0005"	110-3602
0-500mm	0.01mm/.0005"	110-3603
0-600mm	0.01mm/.0005"	110-3604

Plastic Tyre Profile Depth Gage

- With metric and inch scales. The red scale can help judge quickly if the tread profile depth on the safe level
- The bevel edge with saw teeth can be used to scrape off the snow or ice on the windscreens and wing mirrors
- Made of ABS plastic, which is a good choice for promotion.



Range: 0-20mm/0-0.8"

Order No. 615-6400

Caliper and Height Gage Checkers

Features:

Designed to check the accuracy of table movements of machine tools and calibrate CMMs. Permanently wrung, hardened and ground high grade blocks are stacked in the rigid housing.
Selected sizes of measuring slips provides for calibration of main scale as well as vernier scales of the instrument.



Range	Step	Accuracy	Horizontal Order No.	Vertical Order No.
200mm	20mm	+/-3µm	622-0001	622-0011
300mm	20mm	+/-4µm	622-0002	622-0012
500mm	20mm	+/-6µm	622-0003	622-0013
600mm	20mm	+/-6µm	622-0004	622-0014
200mm	30mm	+/-3µm	622-0005	622-0015
300mm	30mm	+/-4µm	622-0006	622-0016
500mm	30mm	+/-6µm	622-0007	622-0017
600mm	30mm	+/-6µm	622-0008	622-0018



Precision Vernier Height Gages

- With fine adjustment and lock.
- Made of high quality tool steel.
- Including offset steel scriber.
- Supplied in fitted case.



Range	Gradu.	Order No.	Grad.	Order No.
0-200mm	.02mm	622-8222	.05mm	622-8225
0-300mm	.02mm	622-8232	.05mm	622-8235
0-350mm	.02mm	622-8237	.05mm	622-8239
0-400mm	.02mm	622-8242	.05mm	622-8245
0-500mm	.02mm	622-8252	.05mm	622-8255
0-550mm	.02mm	622-8257	.05mm	622-8259
0-600mm	.02mm	622-8262	.05mm	622-8265
0-1000mm	.02mm	622-8312	.05mm	622-8315

Precision Adjustable Height Gages

- With Cam-Lock scriber mounting.
- With fine adjustment and lock.
- Include: Straight steel scriber.
Offset steel scriber.
Square holding bar.
Magnifying glass.
- Supplied in fitted case.



Range	Grad.	Base Size	Carbon Steel Order No.	Stainless Steel Order No.
0-10"	.001"	4.8x3.2"	622-8511	621-8511
0-10"/250mm	.001"/.02mm	3.0x4.0"	622-8510	621-8510
0-12"/300mm	.001"/.02mm	3.3x4.9"	622-8512	621-8512
0-18"/450mm	.001"/.02mm	4.7x7"	622-8518	621-8518
0-20"/500mm	.001"/.02mm	4.7x7"	622-8520	621-8520
0-24"/600mm	.001"/.02mm	4.7x7"	622-8524	621-8524
0-40"/1000mm	.001"/.02mm	5.9x9.9"	622-8540	621-8540

Range	Grad.	Carbon Steel Order No.	Stainless Steel Order No.
0-300mm	.02mm	622-8442	621-8442
0-500mm	.02mm	622-8444	621-8444
0-600mm	.02mm	622-8446	621-8446
0-1000mm	.02mm	622-8448	621-8448
0-300mm	.05mm	622-8450	621-8450
0-500mm	.05mm	622-8452	621-8452