





Workbench-Top Specification

Unit of Measurement : mm

Product code	Type	Specification	Material and features	Applicable Industries
N	 Rubber top	1500W 1800W x750Dx 50T 2100W	High density fiberboard(HDF) covered with green rubber mat on top and PVC protection on four edges. Features: high impact absorption.	Machine maintenance, factories, production line and garages.
F	 Laminate	1500W 1800W x750Dx 50T 2100W	Plywood top covered with gray laminate and PVC protective edges. Features: Great performance in high temperature environment, high abrasion performance.	All electronics companies, reseach labs, hospitals, workshop and metrology department.
W	 Wood	1500W 1800W x750Dx 50T 2100W	Finger-joint wood to ensure high durability.	Tool makers, equipment maintenance.
S	 Stainless steel	1500W 1800W x750Dx 50T 2100W	High density material covered with 1.2mm stainless steel sheet. Features: high temperature resistance, great grease and abrasion performance.	Tool makers, workshops, research labs.
A	 Benchwork	1500W 1800W x750Dx 50T	36mm base material covered with 9mm steel plate. Features: great structure strength.	All heavy industries, tool makers.
T	 NKS top	1500W 1800W x750Dx 36T 43T	Multi-layer laminate and PVC protective on four edges. Features: high impact strength, grease and chemical resistance.	Research labs, schools.
P Q	 Steel top	1500W 1800W x750Dx 50T	Made from 2mm steel, covered with 10mm black rubber mat or 12mm PVC mat. Features: long durability.	All workshops, assembly line and garages.

Bench Top Selection example : NK-57 **F** ← Last code indicates top material

NKS industrial

Workbench-Heavy Duty

Unit of Measurement : mm

Heavy-duty worktop thickness 50T ± 2mm



Rubber top



Laminate



Stainless steel



Wood

Loading Capacity: ~~1000-1500kg~~



Size HxWxD	Rubber top	Laminate	Stainless steel	Wood
800x1500x750	NK-57N	NK-57F	NK-57S	NK-57W
800x1800x750	NK-67N	NK-67F	NK-67S	NK-67W
800x2100x750	NK-77N	NK-77F	NK-77S	NK-77W


W1500mm (100pcs/20ft ; 200pcs/40ft)
W1800mm (95pcs/20ft ; 190pcs/40ft)
W2100mm (90pcs/20ft ; 180pcs/40ft)



Drawer Loading Capacity : 75kg each

Size HxWxD	Rubber top	Laminate	Stainless steel	Wood
800x1500x750	NAK-9803N	NAK-9803F	NAK-9803S	NAK-9803W
800x1800x750	NAK-9803N	NAK-9903F	NAK-9903S	NAK-9903W

W1500mm (60pcs/20ft ; 120pcs/40ft)
W1800mm (55pcs/20ft ; 110pcs/40ft)



Drawer Loading Capacity : 150kg each
Cabinet size : H380 x W566 x D607

Size HxWxD	Rubber top	Laminate	Stainless steel	Wood
800x1500x750	NKS-22022N	NKS-22022F	NKS-22022S	NKS-22022W
800x1800x750	NKS-23022N	NKS-23022F	NKS-23022S	NKS-23022W
800x2100x750	NKS-24022N	NKS-24022F	NKS-24022S	NKS-24022W

W1500mm (60pcs/20ft ; 120pcs/40ft)
W1800mm (60pcs/20ft ; 120pcs/40ft)
W2100mm (60pcs/20ft ; 120pcs/40ft)




Drawer Loading Capacity : 150kg each
Cabinet size : H700 x W566 x D607

Size HxWxD	Rubber top	Laminate	Stainless steel	Wood
800x1500x750	NKS-88042N	NKS-88042F	NKS-88042S	NKS-88042W
800x1800x750	NKS-89042N	NKS-89042F	NKS-89042S	NKS-89042W
800x2100x750	NKS-90042N	NKS-90042F	NKS-90042S	NKS-90042W

W1500mm (55pcs/20ft ; 110pcs/40ft)
W1800mm (55pcs/20ft ; 110pcs/40ft)
W2100mm (55pcs/20ft ; 110pcs/40ft)

Loading Capacity: ~~2000-3000kg~~



Drawer Loading Capacity : 150kg each
Cabinet size : H700 x W566 x D607

Size HxWxD	Rubber top	Laminate	Stainless steel	Wood
800x2100x750	NKK-55042N	NKK-55042F	NKK-55042S	NKK-55042W

W2100mm (40pcs/20ft ; 80pcs/40ft)

Loading Capacity: ~~2000-3000kg~~

※ Perforated panels are optional, please refer to p.12


NKS industrial

Workbench-Benchwork

Unit of Measurement : mm

Benchwork

Suitable for tool making industry.



- ① A 9mm sand blasted and grinded steel board is covered on top.
- ② Middle pad can absorb concussion from the hammering and reduce noises.
- ③ High density fiberboard(HDF).

Loading Capacity: **2000-3000kg**



Size HxWxD	800x1500x750	800x1800x750
Type	NK-57A	NK-67A


W1500mm (80pcs/20ft ; 150pcs/40ft)
W1800mm (70pcs/20ft ; 130pcs/40ft)



Drawer Loading Capacity : 75kg each

Size HxWxD	800x1500x750	800x1800x750
Type	NAK-9803A	NAK-9803A


W1500mm (60pcs/20ft ; 120pcs/40ft)
W1800mm (50pcs/20ft ; 100pcs/40ft)



Drawer Loading Capacity : 150kg each
Cabinet size : H380 x W566 x D607

Size HxWxD	800x1500x750	800x1800x750
Type	NKS-22031A	NKS-23031A

W1500mm (60pcs/20ft ; 120pcs/40ft)
W1800mm (60pcs/20ft ; 120pcs/40ft)



Drawer Loading Capacity : 150kg each
Cabinet size : H700 x W566 x D607

Size HxWxD	800x1500x750	800x1800x750
Type	NKS-88042A	NKS-89042A

W1500mm (55pcs/20ft ; 110pcs/40ft)
W1800mm (55pcs/20ft ; 110pcs/40ft)

※ Perforated panels are optional, please refer to p.12


NKS industrial

Workbench-NKS Top

Unit of Measurement : mm

NKS top

high impact absorption ability,
excellent grease resistant,
easy to maintain and great performance
in high temperature.



PATENT
New
The Most Advanced
Features!



Scratch Resistant



Heat Resistant



Crack Resistant



Oil&Water Resistant



Easy Maintain

Loading Capacity: **1000-1500kg**



Type	Size HxWxD	Thickness
NK-88TG	786x 1500 x750	36
NK-89TG	786x 1800 x750	
NK-88TH	793x 1500 x750	43
NK-89TH	793x 1800 x750	

W1500mm (80pcs/20ft ; 150pcs/40ft)

W1800mm (70pcs/20ft ; 130pcs/40ft)




Drawer Loading Capacity : 75kg each

Type	Size HxWxD	Thickness
NAK-9803TG	786x 1500 x750	36
NAK-9903TG	786x 1800 x750	
NAK-9803TH	793x 1500 x750	43
NAK-9903TH	793x 1800 x750	

W1500mm (60pcs/20ft ; 120pcs/40ft)

W1800mm (50pcs/20ft ; 100pcs/40ft)




Drawer Loading Capacity : 150kg each
Cabinet size : H380 x W566 x D607

Type	Size HxWxD	Thickness
NKS-22022TG	786x 1500 x750	36
NKS-23022TG	786x 1800 x750	
NKS-22022TH	793x 1500 x750	43
NKS-23022TH	793x 1800 x750	

W1500mm (60pcs/20ft ; 120pcs/40ft)

W1800mm (60pcs/20ft ; 120pcs/40ft)



Drawer Loading Capacity : 150kg each
Cabinet size : H700 x W566 x D607

Type	Size HxWxD	Thickness
NKS-88042TG	786x 1500 x750	36
NKS-89042TG	786x 1800 x750	
NKS-88042TH	793x 1500 x750	43
NKS-89042TH	793x 1800 x750	

W1500mm (55pcs/20ft ; 110pcs/40ft)

W1800mm (55pcs/20ft ; 110pcs/40ft)

Loading Capacity: **2000-3000kg**

※ Perforated panels are optional, please refer to p.12

NKS industrial

Workbench-Steel Top

Unit of Measurement : mm

Steel top features:



Loading Capacity:

1000-1500kg

P : 10mm rubber mat

Q : 12mm PVC mat

※ Width 1800mm also available.



Type	Size HxWxD
NB-58P	810x1524x775
NB-58Q	812x1524x775
NB-68Q	812x1824x775

Type	Size HxWxD
NB-5802P	810x1524x775
NB-5802Q	812x1524x775
NB-6802Q	812x1824x775

 Drawer Loading Capacity : 75kg each
 PT-13021 Cabinet size:H296 x W400 x D602

Type	Size HxWxD
NB-5803P3	1410x1528x775
NB-5803Q3	1410x1528x775
NB-6803Q3	1410x1828x775

 Drawer Loading Capacity : 40kg each
 JIS-0301 Cabinet size:H250 x W668 x D308


Type	Size HxWxD
NB-5804HP6A	1410x1528x775
NB-5804HQ6A	1410x1528x775
NB-6804HQ6A	1410x1828x775

 Drawer Loading Capacity : 75kg each
 NLS-7041 Cabinet size : H725 x W566 x D607

※ Power plugs not included



Type	Size HxWxD
NB-5804EP9A	1710x1528x775
NB-5804EQ9A	1710x1528x775
NB-6804EQ9A	1710x1828x775

 Drawer Loading Capacity : 150kg each
 NS-7042 Cabinet size : H700 x W566 x D607

※ Power plugs not included

Unit of Measurement : mm

Standard Worktop Type

Thickness 30T±2mm



Rubber top



Laminate



Wood

Loading Capacity: **600-1000kg**



Size HxWxD	Rubber top	Laminate	Wood
800x 1500 x750	ND-57N	ND-57F	ND-57W
800x 1800 x750	ND-67N	ND-67F	ND-67W

W1500mm (130pcs/20ft ; 260pcs/40ft)

W1800mm (120pcs/20ft ; 240pcs/40ft)



Size HxWxD	Rubber top	Laminate	Wood
800x 1500 x750	NLY-9803N	NLY-9803F	NLY-9803W
800x 1800 x750	NLY-9903N	NLY-9903F	NLY-9903W

W1500mm (60pcs/20ft ; 120pcs/40ft)

W1800mm (55pcs/20ft ; 110pcs/40ft)

Drawer Loading Capacity : 75kg each



Size HxWxD	Rubber top	Laminate	Wood
800x 1500 x750	NLC-53021N	NLC-53021F	NLC-53021W
800x 1800 x750	NLC-63021N	NLC-63021F	NLC-63021W

W1500mm (90pcs/20ft ; 180pcs/40ft)

W1800mm (90pcs/20ft ; 180pcs/40ft)

Drawer Loading Capacity : 75kg each
Cabinet size : H296 x W400 x D602



Size HxWxD	Rubber top	Laminate	Wood
800x 1500 x750	NLC-88041N	NLC-88041F	NLC-88041W
800x 1800 x750	NLC-89041N	NLC-89041F	NLC-89041W

W1500mm (60pcs/20ft ; 120pcs/40ft)

W1800mm (60pcs/20ft ; 120pcs/40ft)

Drawer Loading Capacity : 75kg each
Cabinet size : H725 x W566 x D607



Size HxWxD	Rubber top	Laminate	Wood
1400x 1500 x750	NLK-9803N6A	NLK-9803F6A	NLK-9803W6A
1400x 1800 x750	NLK-9903N6A	NLK-9903F6A	NLK-9903W6A

W1500mm (65pcs/20ft ; 130pcs/40ft)

W1800mm (60pcs/20ft ; 120pcs/40ft)

Drawer Loading Capacity : 75kg each

※ Power plugs not included

※ Perforated panels are optional, please refer to p.12


NKS industrial

Optional Accessories


Unit of Measurement : mm

Panel set


Perforated Back Panels. Work with both heavy-duty and standard workbench.



Type	Size WxDxH	Specification
NC-52	W1502xD202xH603	Perforated board:W1502xH603
NC-62	W1802xD202xH603	Perforated board:W1802xH603



Type	Size WxDxH	Specification
NC-53	W1502xD325xH603	Perforated board:W1502xH603 Shelf:W1495xD300xH25
NC-63	W1802xD325xH603	Perforated board:W1802xH603 Shelf:W1795xD300xH25



※ Power plugs not included

Type	Size WxDxH	Specification
NC-55A	W1502xD325xH603	Perforated board:W1502xH603 Shelf:W1495xD300xH25 Socket:110V~220Vx4
NC-65A	W1802xD325xH603	Perforated board:W1802xH603 Shelf:W1795xD300xH25 Socket:110V~220Vx4

Hanger Hooks

Work with perforated boards and rack sets

※ Tools and Panels are not included

Plastic Hooks Set	Type	Quantity
	NPQ-B	NP-6101x6 NP-6102x4 NP-6103x1 NP-6104x1
	1 SET	

Plastic S-Single Hook	Type	Specification
	NP-6101	W17xD55xH52
	20 PCS	

Plastic M-Single Hook	Type	Specification
	NP-6102	W17xD75xH52
	10 PCS	

Plastic U-shape Holder	Type	Specification
	NP-6103	W46xD48xH52
	6 PCS	

Plastic Spring Clips	Type	Specification
	NP-6104	W25xD55xH52
	10 PCS	

Plastic Wrench Holder	Type	Specification
	NP-6109	W120xH220
	1 PCS	

Suspension Hook	Type	Specification
	NP-3112	L120mm
	10 PCS	
	NP-3212	L120mm (width 30mm)
	10 PCS	

Double Hook	Type	Specification
	NP-3405	L50mm
	10 PCS	

Loop Hook	Type	Specification
	NP-3506	Ø60mm
	10 PCS	
	NP-3510	Ø100mm
	10 PCS	

U-shape Hooks	Type	Specification
	NP-3805	L50mm
	10 PCS	
	NP-3810	L100mm
	10 PCS	

Screwdriver Holder	Type	Specification
	NP-4213	L390mm
	1 PCS	

Clip Holders	Type	Specification
	NP-4418	L430mm
	1 PCS	

Drill Holder	Type	Specification
	NP-4120	L390mm
	1 PCS	
	NP-4114	
	1 PCS	

Hanger Case Holder	Type	Specification
	NPQ-4301	L420mm
	1 SET	
	NPQ-4302	
	1 SET	
	NPQ-4304	
	1 SET	

Bottle Holder	Type	Specification
	NP-4604	W390xD90xH85
	1 PCS	